

BATTAGLIA et al.  
Appl. No. 09/615,838  
July 15, 2005

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

Claims 1-93. (Cancelled).

94. (Currently Amended) A portable, hand-held, digital picture image data transfer and repository device for displaying a user's digital photographs, said repository device being embodied in a housing operable to receive digital picture image data and being connectable to a user's notebook or desktop computer and being of a size which can be held in a user's palm, said repository device comprising:

a housing of a size to be held in the palm of a user's hand and including at least one port operable to receive digital camera picture image data including a copy of the contents of a memory of a digital camera containing picture image data previously captured by a digital camera, and at least one port operable to couple said portable repository device to a user's computer and to receive digital picture image data from said user's computer;

a battery embodied in said housing for supplying electrical power;

a mass storage device embodied in said housing having at least one gigabyte of storage operatively coupled to receive and store said copy of the contents of a memory of a digital camera containing picture image data previously captured by a digital camera ~~picture image data~~, said mass storage device being accessible for receiving picture image data resident in a user's computer;

BATTAGLIA et al.  
Appl. No. 09/615,838  
July 15, 2005

data processing circuitry embodied in said housing for controlling the transfer of data to and from said mass storage device, said processing circuitry being operable to determine whether a request has been made to transfer picture image data from a user's computer to said mass storage device;

a display device embodied in said housing for displaying to a user a plurality of graphical images depicting picture image data;

at least one user interface key embodied in said housing including a copy key for initiating the copying of the contents of a memory of a digital camera containing picture image data previously captured by said digital camera from said memory of said digital camera to said mass storage device~~for controlling operations involving picture image data~~; and

an input/output interface, coupled to said mass storage device, for use in transferring image data between said mass storage device and said user's computer, said input/output interface being compatible with an interface of said user's computer.

95. (Previously Presented) A data transfer and repository device according to claim 94, wherein said mass storage device is operable to store digital audio data and picture image data.

96. (Previously Presented) A data transfer and repository device according to claim 94, wherein said repository device is operable with a flash memory reader, a mass storage device and a battery, at least one of which is not embodied within said housing.

BATTAGLIA et al.  
Appl. No. 09/615,838  
July 15, 2005

97. (Previously Presented) A data transfer and repository device according to claim 94, wherein said repository device is operatively connectable to a camera via said at least one port operable to receive digital camera picture image data.

98. (Previously Presented) A data transfer and repository device according to claim 94, wherein said plurality of graphical images are JPEG images.

99. (Previously Presented) A data transfer and repository device according to claim 94, wherein said processing circuitry is operatively connectable to an external video device.

100. (Previously Presented) A data transfer and repository device according to claim 94, wherein said digital picture image data includes moving picture image data and said mass storage device is operable to store moving image picture data and further wherein said display is operable to display moving image picture data.

101. (Previously Presented) A data transfer and repository device according to claim 94, wherein said at least one port operable to couple is connectable to a further electronic device.

102. (Previously Presented) A data transfer and repository device according to claim 101, wherein said further electronic device is a camcorder.

103. (Previously Presented) A data transfer and repository device according to claim 101, wherein said further electronic device is a digital camera.

104. (Previously Presented) A data transfer and repository device according to claim 94, wherein said at least one port operable to receive digital camera picture image

BATTAGLIA et al.  
Appl. No. 09/615,838  
July 15, 2005

data and said at least one port operable to couple said portable repository device to a user's computer are embodied in the same port.

105. (Previously Presented) A data transfer and repository device according to claim 94, wherein said data processing circuitry includes processing circuitry for reformatting a digital memory module into a state where it can be reused.

106. (Previously Presented) A data transfer and repository device in accordance with claim 94, where said at least one port operable to couple is operatively coupled to said mass storage device for transferring picture image data to a user's computer.

107. (Previously Presented) A data transfer and repository device in accordance with claim 94, wherein said at least one user interface key is operable for initiating predetermined operations relating to a flash memory module.

108. (Previously Presented) A data transfer and repository device in accordance with claim 107, wherein said at least one user interface key is part of a keyboard and wherein said data processing circuitry is responsive to user initiation of said at least one key to control the transfer of data from said flash memory module to said mass storage device.

109. (Previously Presented) A data transfer and repository device in accordance with claim 94, wherein said repository device is operable to display data indicative of at least part of the contents of a flash memory module.

110. (Currently Amended) A data transfer and repository device in accordance with claim 94, wherein said at least one port operable to receive digital camera image

BATTAGLIA et al.  
Appl. No. 09/615,838  
July 15, 2005

data is a memory port in said housing sized to receive a flash memory module, said data processing circuitry being operable to selectively transfer the contents of said flash memory module to said mass large capacity storage device.

111. (Previously Presented) A data transfer and repository device in accordance with claim 94, wherein said mass storage device is a hard drive.

112. (Previously Presented) A data transfer and repository device according to claim 94, wherein said data processing circuitry includes processing circuitry for formatting a file system of said mass storage unit so that it is compatible with a host device file system.

113. (Previously Presented) A data transfer and repository device according to claim 94, further including clocking circuitry for a generating time related signal, said repository device for storing time related data associated with picture image data.

114. (Previously Presented) A data transfer and repository device according to claim 113, wherein said display is operable to display time related data associated with picture image data.

115. (Previously Presented) A data transfer and repository device according to claim 94, including a port operatively connectable to a home video device.

116. (Currently Amended) For use in transferring data between a digital camera flash memory module and a user's computer, a portable, hand-held, digital data transfer and repository device embodied in a housing operatively connectable to a user's notebook

BATTAGLIA et al.  
Appl. No. 09/615,838  
July 15, 2005

or desktop computer and which is of a size which can be held in a user's palm, said repository device comprising:

a hand-held housing of a size to be held in the palm of a user's hand and including a plurality of ports, at least one of said plurality of ports for receiving digital camera flash memory module data including a copy of the contents of a memory of a digital camera containing picture image data previously captured by a digital camera, and at least one of said ports for coupling said portable repository device to a user's computer,

a hard disk drive having a storage capacity of at least one gigabyte contained within said hand-held housing and operatively coupled to receive and store digital data from a digital camera flash-memory module said copy of the contents of a memory of a digital camera containing picture image data previously captured by a digital camera, said hard disk drive storing JPEG files and audio data and being accessible for data transfer between said portable repository device and a user's computer;

processing circuitry contained within said hand-held housing for controlling the transfer of data stored in a digital flash memory module to said hard disk drive,

an LCD display device embodied in said hand-held housing for displaying JPEG graphical images,

at least one user interface key embodied in said housing including a copy key for initiating the copying of the contents of a memory of a digital camera containing picture image data previously captured by said digital camera from said memory of said digital

BATTAGLIA et al.  
Appl. No. 09/615,838  
July 15, 2005

camera to said mass storage device for controlling operations involving graphical image  
data; and

an input/output interface, coupled to said hard disk drive, for use in transferring data between said hard disk drive and said user's computer, said input/output interface being compatible with an interface of said user's computer.

117. (Previously Presented) A data transfer and repository device according to claim 116, wherein said repository device is operable with a flash memory reader, a mass storage device and a battery, at least one of which is not embodied within said housing.

118. (Previously Presented) A data transfer and repository device according to claim 116, wherein said repository device is operatively connectable to a camera via one of said plurality of ports.

119. (Previously Presented) A data transfer and repository device according to claim 116, wherein said at least one of said ports being operable for receiving digital camera picture image data and at least one of said ports being operable for coupling said portable repository device to a user's computer is embodied in the same port.

120. (Previously Presented) A data transfer and repository device according to claim 116, wherein said data processing circuitry includes processing circuitry for reformatting a digital memory module inserted into one of said plurality of ports into a state where it can be reused.

121. (Previously Presented) A data transfer and repository device in accordance with claim 116, wherein:

BATTAGLIA et al.  
Appl. No. 09/615,838  
July 15, 2005

at least one user interface key is operable for initiating predetermined operations relating to a flash memory module.

122. (Previously Presented) A data transfer and repository device in accordance with claim 116, wherein said hard disk drive is operable to store moving picture image data and wherein said display is operable to display moving picture image data.

123. (Previously Presented) A data transfer and repository device in accordance with claim 116, wherein said at least one of said ports being operable for receiving digital camera image data is a memory port in said housing sized to receive a flash memory module, said data processing circuitry being operable to selectively transfer the contents of said flash memory module to said hard drive.

124. (Previously Presented) A data transfer and repository device according to claim 116, wherein said data processing circuitry includes processing circuitry for formatting a file system of said hard drive unit so that it is compatible with a host device file system.

125. (Currently Amended) A method of operating a portable, hand-held digital camera picture image data transfer and repository device, said data transfer and repository device including within a hand-held housing which can be comfortably held in a user's palm: a port for coupling said portable repository device to a user's computer, a hard disk drive having a storage capacity of at least one gigabyte for storing picture image data, an input/output interface coupled to said hard disk drive for use in transferring image data between said hard disk drive and said user's computer, at least



BATTAGLIA et al.  
Appl. No. 09/615,838  
July 15, 2005

one user interface key including a copy key for initiating the copying of the contents of a memory of a digital camera containing picture image data previously captured by said digital camera from said memory of said digital camera to said hard disk drive device and an LCD display, said method comprising the steps of:

receiving picture image data previously captured from a digital camera and stored in a digital camera memory in said hand held housing which can be comfortably held in a user's palm;

storing said picture image data in said hard drive embodied within said repository device in response to a user actuating said copy key embodied in said hand-held housing of said digital camera picture image data transfer and repository device;

determining whether a request has been made to transfer picture image data from a user's computer to said hard drive;

transferring picture image data from a user's computer to said hard disk drive within said repository device in response to said request;

displaying picture image data on an LCD display embodied within said repository device; and

controlling operations involving picture image data in response to a user actuating keys embodied in said hand-held housing.

126. (Previously Presented) A method according to claim 125, wherein the step of displaying includes:

BATTAGLIA et al.  
Appl. No. 09/615,838  
July 15, 2005

displaying on said LCD of said portable device data indicative of at least part of the contents of a digital camera flash memory module.

127. (Previously Presented) A method according to claim 125, further including the step of receiving a command for performing an operation with said picture from image data.

128. (Previously Presented) A method according to claim 127, wherein the step of receiving a command includes the step of reading the command from a user interface.

129. (Previously Presented) A method according to claim 127, wherein the step of receiving a command includes the step of reading the command from an external bus coupled to a further electronic device.

130. (Previously Presented) A method according to claim 125, wherein said repository device is coupled to a further electronic device via an external bus and further including the steps of detecting activity on said external bus and powering up the device in response to external bus activity.

131. (Previously Presented) A method according to claim 125, further including the step of reformatting a digital memory module inserted into a memory port to place said digital memory module into a state where it can be reused.

132. (Previously Presented) A method according to claim 125, wherein said picture image data includes moving picture image data and further including the step of displaying moving picture image data on said LCD display embodied within said display device.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**